

Publications in Peer-reviewed Journals

(•) corresponding author

(*) equal contribution

- 70 Bydlinski N, Maresch D, Schmieder V, Klanert G, **Strasser R**, Borth N. (2018) The contributions of individual galactosyltransferases to protein specific N-glycan processing in Chinese Hamster Ovary cells. **J Biotechnol** 282: 101-110. doi: 10.1016/j.jbiotec.2018.07.015.
- 69 (•) **Strasser R**. (2018) Protein Quality Control in the Endoplasmic Reticulum of Plants. **Annu Rev Plant Biol** 69: 147-172. doi: 10.1146/annurev-arplant-042817-040331
68. (•) Castilho A, Beihammer G, Pfeiffer C, Göritzer K, Montero-Morales L, Vavra U, Maresch D, Grünwald-Gruber C, Altmann F, Steinkellner H, **Strasser R**. (2018) An oligosaccharyltransferase from *Leishmania major* increases the N-glycan occupancy on recombinant glycoproteins produced in *Nicotiana benthamiana*. **Plant Biotechnol J** 16: 1700-1709. doi: 10.1111/pbi.12906.
67. (•) Shin YJ, Vavra U, Veit C, **Strasser R**. (2018) The glycan-dependent ERAD machinery degrades topologically diverse misfolded proteins. **Plant J** 94: 246-259. doi: 10.1111/tbj.13851.
66. Schmieder V, Bydlinski N, **Strasser R**, Baumann M, Kildegaard HF, Jadhav V, Borth N. (2017) Enhanced genome editing tools for multi-gene deletion knock-out approaches using paired CRISPR sgRNAs in CHO cells. **Biotechnol J** 13: e1700211. doi: 10.1002/biot.201700211.
65. (•) Schoberer J, **Strasser R**. (2017) Plant glyco-biotechnology. **Sem Cell Dev Biol**. 80: 133-141. doi: 10.1016/j.semcdb.2017.07.005.
64. (•) Göritzer K, Maresch D, Altmann F, Obinger C, **Strasser R**. (2017) Exploring site-specific N-glycosylation of HEK293 and plant-produced human IgA isotypes. **J Proteome Res** 16: 2560-2570. doi: 10.1021/acs.jproteome.7b00121
63. Xue X, Veit C, Abas L, Tryfona T; Maresch D, Ricardi M, Estevez J; **Strasser R**, Seifert, G. (2017) *Arabidopsis thaliana* FLA4 functions as a glycan-stabilized soluble factor via its carboxy-proximal Fasciclin 1 domain. **Plant J** 91: 613-630. doi: 10.1111/tbj.13591
- 62 (•) Shin YJ, Castilho A, Dicker M, Sádio F, Vavra U, Grünwald-Gruber C, Kwon TH, Altmann F, Steinkellner H, **Strasser R**. (2017) Reduced paucimannosidic N-glycan formation by suppression of a specific β -hexosaminidase from *Nicotiana benthamiana*. **Plant Biotechnol J** 15: 197-206. doi: 10.1111/pbi.12602
- 61 Kallolimath S, Castilho A, **Strasser R**, Grünwald-Gruber C, Altmann F, Strubl S, Galuska CE, Zlatina K, Galuska PS, Werner S, Thiesler H, Werneburg S, Hildebrandt H, Gerardy-Schahn R, Steinkellner H (2016) Engineering of Complex Protein Sialylation in Plants. **Proc Natl Acad Sci USA** 113: 9498-9503. doi: 10.1073/pnas.1604371113

- 60 (•) Dicker M., Maresch D., **Strasser R.** (2016) Glyco-engineering for the production of recombinant IgA1 with distinct mucin-type O-glycans in plants. **Bioengineered** 7, 484–489. doi: 10.1080/21655979.2016.1201251
- 59 (•) **Strasser R.** (2016) The tonoplast - where sweetness is dispensable. **J Exp Bot** 67: 1607-1609. doi: 10.1093/jxb/erw074
- 58 (•) **Strasser R.** (2016) Plant protein glycosylation. **Glycobiology**, 26: 926-939. doi: 10.1093/glycob/cww023
- 57 (•) Dicker M., Tschofen M., Maresch D., König J., Juarez P., Orzaez D., Altmann F., Steinkellner H., **Strasser R.** (2016) Transient Glyco-Engineering to Produce Recombinant IgA1 with Defined N- and O-Glycans in Plants. **Frontiers in Plant Sciences**. 7:18. doi: 10.3389/fpls.2016.00018.
- 56 Dicker M., **Strasser R.** (2015) Using glyco-engineering to produce therapeutic proteins. **Expert Opin Biol Ther.**, 15, 1501-1516. doi: 10.1517/14712598.2015.1069271.
- 55 Schneider J., Castilho A., Pabst M., Altmann F., Gruber C., **Strasser R.**, Gattinger P., Seifert G.J., Steinkellner H. (2015) Characterization of plants expressing the human β 1,4-galactosyltransferase gene. **Plant Physiol Biochem** 92, 39-47. doi: 10.1016/j.plaphy.2015.04.010.
- 54 Niemann, M. C. E., Bartrina, I., Ashikov, A., Weber, H., Novák, O., Spíchal, L., Strnad, M., **Strasser, R.**, Bakker, H., Schmülling, T., Werner, T. (2015) Arabidopsis ROCK1 transports UDP-GlcNAc/UDP-GalNAc and regulates ER protein quality control and cytokinin activity. **Proc Natl Acad Sci USA** 112, 291-296. doi: 10.1073/pnas.1419050112
- 53 Castilho, A., Windwarder, M., Gattinger, P., Mach, L., **Strasser, R.**, Altmann, F., Steinkellner, H. (2014) Proteolytic and N-Glycan Processing of Human Alpha-1 Antitrypsin Expressed in *Nicotiana benthamiana*. **Plant Physiology** 112, 1839-1851. doi: 10.1104/pp.114.250720
- 52 (•) Hüttner, S., Veit, C., Vavra, U., Schoberer, J., Dicker, M., Maresch, D., Altmann, F., **Strasser, R.** (2014) A context-independent N-glycan signal targets the misfolded extracellular domain of Arabidopsis STRUBBELIG to endoplasmic reticulum-associated degradation. **Biochem J** 464, 401-411. doi:10.1042/BJ20141057
- 51 (•) Schoberer, J., Liebming, E., Vavra, U., Veit, C., Castilho, A., Dicker, M., Maresch, D., Altmann, F., Hawes, C., Botchway, S.W., **Strasser, R.** (2014) The transmembrane domain of N-acetylglucosaminyltransferase I is the key determinant for its Golgi sub-compartmentation. **Plant J** 80, 809-822. doi: 10.1111/tpj.12671
- 50 **Strasser, R.**, Altmann, F., Steinkellner, H. (2014) Controlled glycosylation of plant-produced recombinant proteins. **Current Opinion in Biotechnology**, 30, 95–100. doi: 10.1016/j.copbio.2014.06.008
- 49 (•) **Strasser, R.** (2014) Biological significance of complex N-glycans in plants and their impact on plant physiology. **Frontiers in Plant Sciences**, 5, 363. doi: 10.3389/fpls.2014.00363

- 48 Lei, L., Zhang, T., **Strasser, R.**, Lee, C.M., Gonneau, M., Mach, L., Vernhettes, S., Kim, S.H., Cosgrove, D., Li, S., Gu, Y. (2014) The *jiaoyao1* mutant is an allele of *korrigan1* that abolishes endoglucanase activity and affects the organization of both cellulose microfibrils and microtubules in *Arabidopsis*. **Plant Cell**, 26, 2601-2616. doi:10.1105/tpc.114.126193
- 47 (•) Hüttner, S., Veit, C., Vavra, U., Schoberer, J., Liebming, E., Maresch, D., Grass, J., Altmann, F., Mach, L., **Strasser, R.** (2014) *Arabidopsis* class I α -mannosidases MNS4 and MNS5 are involved in ER-associated degradation of misfolded glycoproteins. **Plant Cell** 26, 1712-1728. doi:10.1105/tpc.114.123216
- 46 Niemer, M., Mehofer, U., Torres Acosta, J.A., Verdianz, M., Henkel, T., Loos, A., **Strasser, R.**, Maresch, D., Rademacher, T., Steinkellner, H., Mach, L. (2014) The human anti-HIV antibodies 2F5, 2G12 and PG9 differ in their susceptibility to proteolytic degradation: Down-regulation of endogenous serine and cysteine proteinase activities could improve antibody production in plant-based expression platforms. **Biotechnology Journal**, 9, 493-500. doi: 10.1002/biot.201300207
- 45 (•) Liebming, E., Grass, J., Altmann, F., Mach, L., **Strasser, R.** (2013) Characterizing the link between glycosylation state and enzymatic activity of the endo- β 1,4-glucanase KORRIGAN1 from *Arabidopsis thaliana*. **The Journal of Biological Chemistry** 288, 22270-22280. doi: 10.1074/jbc.M113.475558
- 44 (•) Farid, A., Malinovsky, F.G., Veit, C., Schoberer, J., Zipfel, C., **Strasser, R.** (2013) Specialized roles of the conserved subunit OST3/6 of the oligosaccharyltransferase complex in innate immunity and tolerance to abiotic stresses. **Plant Physiology** 162, 24-38.
- 43 Schoberer, J., Liebming, E., Botchway, S.W., **Strasser, R.**, Hawes, C. (2013) Time-resolved fluorescence imaging reveals differential interactions of N-glycan processing enzymes across the Golgi stack in *planta*. **Plant Physiology** 161, 1734-1754.
- 42 Castilho, A., Neumann, L., Gattinger, P., **Strasser, R.**, Vorauer-Uhl, K., Sterovsky, T., Altmann, F., Steinkellner, H. (2013) Generation of Biologically Active Multi-Sialylated Recombinant Human EPO-Fc in Plants. **PLoS ONE** 8: e54836.
- 41 (•) **Strasser R.** (2013) Engineering of human-type O-glycosylation in *Nicotiana benthamiana* plants. **Bioengineered** 4, 191-196.
40. (•) Castilho, A., Neumann, L., Daskalova, S., Mason, H.S., Steinkellner, H., Altmann, F., **Strasser, R.** (2012) Engineering of Sialylated Mucin-type O-Glycosylation in Plants. **The Journal of Biological Chemistry** 287, 36518-36526. doi: 10.1074/jbc.M112.402685.
- 39 (•) Liebming, E., Grass, J., Jez, J., Neumann, L., Altmann, F., **Strasser, R.** (2012) Myrosinases TGG1 and TGG2 from *Arabidopsis thaliana* contain exclusively oligomannosidic N-glycans. **Phytochemistry**, 84, 24-30.
- 38 (•) **Strasser R.** (2012) Challenges in O-glycan engineering of plants. **Frontiers in Plant Sciences** 3: 218.
37. (•) Hüttner, S., **Strasser, R.** (2012) Endoplasmic reticulum-associated degradation of glycoproteins in plants. **Frontiers in Plant Sciences** 3: 67.

36. (•) Hüttner, S., Veit, C., Schoberer, J., Grass, J., **Strasser, R.** (2012) Unraveling the function of *Arabidopsis thaliana* OS9 in the endoplasmic reticulum-associated degradation of glycoproteins. **Plant Molecular Biology** 79, 21-33.
35. Gu, C., Shabab, M., **Strasser, R.**, Wolters, P.J., Shindo, T., Niemer, M., Kaschani, F., Mach, L., van der Hoorn, R.A. (2012) Post-Translational Regulation and Trafficking of the Granulin-Containing Protease RD21 of *Arabidopsis thaliana*. **PLoS One** 7 :e32422.
34. Pabst, M., Grass, J., Toegel, S., Liebming, E., **Strasser, R.**, Altmann, F. (2012) Isomeric analysis of oligomannosidic N-glycans and their dolichol-linked precursors. **Glycobiology**, 22, 389-399.
33. (•) Farid, A., Pabst, M., Schoberer, J., Altmann, F., Glössl, J., **Strasser, R.** (2011) *Arabidopsis thaliana* alpha1,2-glucosyltransferase (ALG10) is required for efficient N-glycosylation and leaf growth. **Plant Journal** 68, 314-325.
32. (•) Liebming, E., Veit, C., Pabst, M., Batoux, M., Zipfel, C., Altmann, F., Mach, L., **Strasser, R.** (2011) β -N-acetylhexosaminidases HEXO1 and HEXO3 are responsible for the formation of paucimannosidic N-glycans in *Arabidopsis thaliana*. **The Journal of Biological Chemistry** 286, 10793-10802.
31. (•) Castilho, A., Gattinger, P., Grass, J., Jez, J., Pabst, M., Altmann, F., Gorfer, M., **Strasser, R.**, Steinkellner, H. (2011) N-glycosylation engineering of plants for the biosynthesis of glycoproteins with bisected and branched complex N-glycans. **Glycobiology**, 21, 813-823.
30. (•) Schoberer, J., **Strasser, R.** (2011) Sub-Compartmental Organization of Golgi-Resident N-Glycan Processing Enzymes in Plants. **Molecular Plant**, 4, 220-228.
29. Forthal, D., Gach, J., Landucci, G., Jez, J., **Strasser, R.**, Altmann, F., Kunert, R., Steinkellner, H. (2010) Fc-Glycosylation Influences Fc γ Receptor Binding and Anti-HIV Activity of Monoclonal Antibody 2G12. **The Journal of Immunology** 185, 6876-6882.
28. (•) Schoberer, J., Runions, J., Steinkellner, H., **Strasser, R.**, Hawes, C., Osterrieder, A. (2010) Sequential depletion and acquisition of proteins during Golgi stack disassembly and reformation. **Traffic** 11, 1429-1444.
27. (*) Castilho, A., **Strasser, R.**, Stadlmann, J., Grass, J., Jez, J., Gattinger, P., Kunert, R., Quendler, H., Pabst, M., Leonard, R., Altmann, F., Steinkellner, H. (2010) In planta protein sialylation through overexpression of the respective mammalian pathway. **The Journal of Biological Chemistry** 285, 15923-15930.
26. (•) Liebming, E., Veit, C., Mach, L. **Strasser, R.** (2010) Mannose trimming reactions in the early stages of the N-glycan processing pathway. **Plant Signaling & Behavior**, 5, 476-478.
25. (•) Liebming, E., Hüttner, S., Vavra, U., Fischl, R., Schoberer, J., Grass, J., Blaukopf, C., Seifert, G.J., Altmann, F., Mach, L., **Strasser, R.** (2009) Class I alpha-mannosidases are required for N-glycan processing and root development in *Arabidopsis thaliana*. **Plant Cell** 21, 3850-3867.

24. (•) **Strasser, R.** (2009) Localization of plant N-glycan processing enzymes along the secretory pathway. **Plant Biosystems**, 143, 636-642.
23. **Strasser, R.**, Castilho, A., Stadlmann, J., Kunert, R., Quendler, H., Gattinger, P., Jez, J., Rademacher, T., Altmann, F., Mach, L., Steinkellner H (2009) Improved virus neutralization by plant-produced anti-HIV antibodies with a homogeneous beta1,4-galactosylated N-glycan profile. **The Journal of Biological Chemistry** 284, 20479-20485.
22. Léonard, R., **Strasser, R.**, Altmann, F. (2009) Plant glycosidases acting on protein-linked oligosaccharides. **Phytochemistry** 70, 318-324.
21. (•) Schoberer, J., Vavra, U., Stadlmann, J., Hawes, C., Mach, L., Steinkellner, H., **Strasser, R.** (2009) Arginine/Lysine Residues in the Cytoplasmic Tail Promote ER Export of Plant Glycosylation Enzymes. **Traffic** 10, 101-115.
20. Léonard, R., Pabst, M., Bondili, J.S., Chambat, G., Veit, C., **Strasser, R.**, Altmann, F. (2008) Identification of an Arabidopsis gene encoding a GH95 alpha1,2-fucosidase active on xyloglucan oligo- and polysaccharides. **Phytochemistry** 69, 1983-1988.
19. **Strasser, R.**, Stadlmann, J., Schähs, M., Stiegler, G., Quendler, H., Mach, L., Glössl, J., Weterings, K., Pabst, M. and Steinkellner, H. (2008) Generation of glyco-engineered *Nicotiana benthamiana* for the production of monoclonal antibodies with a homogeneous human-like N-glycan structure. **Plant Biotechnology Journal** 6, 392-402.
18. (•) Castilho, A., Pabst, M., Leonard, R., Veit, C., Altmann, F., Mach, L., Glössl, J., **Strasser, R.** and Steinkellner, H. (2008) Construction of a functional CMP-sialic acid (CMP-Neu5Ac) biosynthesis pathway in *Arabidopsis thaliana*. **Plant Physiology** 147, 331-339.
17. Jin, C., Altmann, F., **Strasser, R.**, Mach, L., Schähs, M., Kunert, R., Rademacher, T., Glössl, J. and Steinkellner, H. (2008) A plant-derived human monoclonal antibody induces an anti-carbohydrate immune response in rabbits. **Glycobiology** 18, 235-241.
16. (•) **Strasser, R.**, Bondili, J.S., Vavra, U., Schoberer, J., Svoboda, B., Glössl, J., Leonard, R., Stadlmann, J., Altmann, F., Steinkellner, H. and Mach, L. (2007) A unique β 1,3-galactosyltransferase is indispensable for the biosynthesis of N-glycans containing Lewis a structures in *Arabidopsis thaliana*. **Plant Cell** 19, 2278-2292.
15. (•) **Strasser, R.**, Bondili, J.S., Schoberer, J., Svoboda, B., Liebming, E., Glössl, J., Altmann, F., Steinkellner, H. and Mach, L. (2007) Enzymatic properties and subcellular localization of Arabidopsis beta-N-acetylhexosaminidases. **Plant Physiology** 145, 5-16.
14. Schähs, M., **Strasser, R.**, Stadlmann, J., Kunert, R., Rademacher, T. and Steinkellner, H. (2007) Production of a monoclonal antibody in plants with a humanized N-glycosylation pattern. **Plant Biotechnology Journal** 5, 657-663.
13. (•) Bondili, J.S., Castilho, A., Mach, L., Glössl, J., Steinkellner, H., Altmann, F. and **Strasser, R.** (2006) Molecular cloning and heterologous expression of β 1,2-xylosyltransferase and core α 1,3-fucosyltransferase from maize. **Phytochemistry** 67, 2215-2224.

12. (•) **Strasser, R.**, Schoberer, J., Jin, C., Glössl, J., Mach, L. and Steinkellner, H. (2006) Molecular cloning and characterisation of *Arabidopsis thaliana* Golgi α -mannosidase II, a key enzyme in the formation of complex N-glycans in plants. **Plant Journal** 45, 789-803.
11. Zeleny, R., Kolarich, D., **Strasser, R.** and Altmann, F. (2006) Sialic acid concentrations in plants are in the range of inadvertant contamination. **Planta**, 224, 222-227.
10. Bencur, P., Steinkellner, H., Svoboda, B., Mucha, J., **Strasser, R.**, Kolarich, D., Hann, S., Kollensperger, G., Glössl, J., Altmann, F. and Mach L. (2005) *Arabidopsis thaliana* beta1,2-xylosyltransferase: an unusual glycosyltransferase with the potential to act at multiple stages of the plant N-glycosylation pathway. **Biochemical Journal** 388, 515-525.
9. (•) **Strasser, R.**, Stadlmann, J., Svoboda, B., Altmann, F., Glössl, J. and Mach, L. (2005) Molecular basis of N-acetylglucosaminyltransferase I deficiency in *Arabidopsis thaliana* plants lacking complex N-glycans. **Biochemical Journal** 387, 385-391.
8. (•) **Strasser, R.**, Altmann, F., Glössl, J. and Steinkellner, H. (2004) Unaltered complex N-glycan profiles in *Nicotiana benthamiana* despite drastic reduction of beta 1,2-N-acetylglucosaminyltransferase I activity. **Glycoconjugate Journal** 21, 275-282.
7. (•) **Strasser, R.**, Altmann, F., Mach, L., Glössl, J. and Steinkellner, H. (2004) Generation of *Arabidopsis thaliana* plants with complex N-glycans lacking beta 1,2-linked xylose and core alpha 1,3-linked fucose. **FEBS Letters** 561, 132-136.
6. Mucha, J., Svoboda, B., Kappel, S., **Strasser, R.**, Bencur, P., Frohwein, U., Schachter, H., Mach, L. and Glössl, J. (2002) Two closely related forms of UDP-GlcNAc: alpha 6-D-mannoside beta 1,2-N-acetylglucosaminyltransferase II occur in the clawed frog *Xenopus laevis*. **Glycoconjugate Journal** 19, 187-195.
5. Mucha, J., Svoboda, B., Frohwein, U., **Strasser, R.**, Mischinger, M., Schwihla, H., Altmann, F., Hane, W. , Schachter, H., Glössl, J. and Mach, L. (2001) Tissues of the clawed frog *Xenopus laevis* contain two closely related forms of UDP-GlcNAc:alpha 3-D-mannoside beta-1,2-N-acetylglucosaminyltransferase I. **Glycobiology** 11, 769-778.
4. **Strasser, R.**, Mucha, J., Mach, L., Altmann, F., Wilson, I.B.H., Glössl, J. and Steinkellner, H. (2000) Molecular cloning and functional expression of beta 1,2-xylosyltransferase cDNA from *Arabidopsis thaliana*. **FEBS Letters** 472, 105-108.
3. Essl, D., Dirnberger, D., Gomord, V., **Strasser, R.**, Faye, L., Glössl, J. and Steinkellner, H. (1999) The N-terminal 77 amino acids from tobacco N-acetylglucosaminyltransferase I are sufficient to retain a reporter protein in the Golgi apparatus of *Nicotiana benthamiana* cells. **FEBS Letters** 453, 169-173.
2. **Strasser, R.**, Steinkellner, H., Boren, M., Altmann, F., Mach, L., Glössl, J. and Mucha, J. (1999) Molecular cloning of cDNA encoding N-acetylglucosaminyltransferase II from *Arabidopsis thaliana*. **Glycoconjugate Journal** 16, 787-791.
1. **Strasser, R.**, Mucha, J., Schwihla, H., Altmann, F., Glössl, J. and Steinkellner, H. (1999) Molecular cloning and characterization of cDNA coding for beta 1,2-N-acetylglucosaminyltransferase I (GlcNAc-TI) from *Nicotiana tabacum*. **Glycobiology** 9, 779-785.

Book Chapters and other publications

- . Castilho A and **Strasser R.** (2018) Production of functionally active recombinant proteins in plants: Manipulating N-and O-glycosylation. *Molecular Pharming: Applications, Challenges and Emerging Areas* (Allison Kermode, ed). John Wiley & Sons, Inc. <https://doi.org/10.1002/9781118801512.ch4>
- Schoberer J, Shin YJ, Vavra U, Veit C, **Strasser R.** (2018) Analysis of Protein Glycosylation in the ER *Methods Mol Biol.* 1691: 205-222. doi: 10.1007/978-1-4939-7389-7_16.
- Vavra U, Veit C, **Strasser R.** (2017) Hormone Receptor Glycosylation. *Methods Mol Biol.* 1497: 205-220. doi: 10.1007/978-1-4939-6469-7_17.
- Dicker M, Schoberer J, Vavra U, **Strasser R.** (2015) Subcellular Targeting of Proteins Involved in Modification of Plant N- and O-Glycosylation. *Methods Mol Biol.* 1321: 249-267. doi: 10.1007/978-1-4939-2760-9_18.
- Veit, C., Vavra, U., **Strasser, R.** (2015) N-glycosylation and plant cell growth. *Methods Mol Biol.*, 1242, 183-194. doi: 10.1007/978-1-4939-1902-4_16.
- **Strasser, R.** (2010) “Complex N-glycan Formation in Plants”, *Res. Adv. In Glycobiology* 1, 2010.
- Steinkellner, H. and **Strasser, R.** (2003) Glycosyltransferases in the plant Golgi. In “The Golgi apparatus and the plant secretory pathway”, edited by David G. Robinson, *Annual Plant Reviews* 9, 181-192.